


- High Impact Resistant
- Fire Retardant
- Chemical Proof
- Flexible

PVC series
CONDUIT & FITTINGS



PVC series CONDUIT & FITTINGS

All Clipsal uPVC Conduits & Fittings are manufactured in top quality High Impact materials. Some of benefit of using Clipsal uPVC Conduits & Fittings are: Fire Retardant and self extinguish within 10 seconds, Highly resistant to corrosive agents including organic acids, alkalis and salts, also Easy to bend without break. Clipsal uPVC Conduits & Fittings are manufactured in accordance with the BSEN 50086 - 1 : 1994, International Electrotechnical Commission (IEC) Standard and passed JTK (LMK) test.



***E240/20/1**
20mm 1 way

***E240/20/2**
20mm 2 way through

***E240/20/2A**
20mm 2 way angle

***E240/20/3**
20mm 3 way tee

***E240/20/4**
20mm 4 way

(All round junction boxes also available in black)

Round & Deep Junction Boxes

* Available in 20, 25 mm nominal diameter



***E240/20/1D**
20mm 1 way

***E240/20/2D**
20mm 2 way through

***E240/20/2AD**
20mm 2 way angle

***E240/20/3D**
20mm 3 way tee

***E240/20/4D**
20mm 4 way

Also available in 32 mm Square Junction Boxes

Fitting and Accessories

* Available in 20, 25, 32 mm nominal diameter

- High Impact Resistant
- Fire Retardant
- Chemical Proof
- Flexible



900TC
Multi Purpose Conduit Cuter



***266HD20**
20mm Bending Spring



***E258/20 & *E281/20**
20mm Plain to Screwed & Threaded Male Bushes (also available in black)



***E242/20**
20mm Joining Coupling (also available in black)



***E261/20**
20mm Saddle (also available in black)



***E261S/20**
20mm Spacers (also available in black)



***280/20**
20mm Clip



***279C/20**
20mm Glad for Corrugated Conduits



***E251/20**
20mm Expansion Couplings



***247/20**
20mm Bends 90° (also available in black)



***E246/20**
20mm Inspection Tees (also available in black)



***E244/20**
20mm Inspection Elbow (also available in black)



***E263/20**
20mm Plain to Screwed Adaptors




265/1
77 x 77 x 54mm Adaptable Box



265/3
108 x 108 x 76mm Adaptable Box

Also available in Bigger Adaptable Boxes




- PVC CONDUIT
- E258 SERIES
- 281 SERIES

Conduit

* Available in 20, 25, 32 mm nominal diameter

(All conduit also available in black)



9025
25mm uPVC Conduit

9032
32mm uPVC Conduit

9020
20mm uPVC Conduit

***9020CM**
20mm Corrugated Conduit

All Clipsal Rigid PVC Conduit and Fittings are manufactured in strict accordance with the British Standard BS6099 & BS4607. Top quality, High Impact Polyvinyl Chloride is used to manufacture the conduit and Fittings. Also available in black.

Our collection of electrical accessories offers versatility and refined designs that meet our customers interior design needs. We ensure that our products not only keep up with the modern lifestyle but also provide endless option for contemporary living.

Clipsal provides Quality Assurance with internationally recognized safety standards, such as British Standard (BS) and International Electro technical Commission (IEC) Standard, to ensure that we will consistently exceed our customers expectation in both product design and quality.

PVC series CONDUIT & FITTINGS



High Impact Resistant

Fire Retardant

Chemical Proof

Flexible